



Inspection Report

Amos Stoltzfus & Katie Stoltzfus
2404 W WINTER RD
LOGANTON, PA 17747

Customer ID: **502203**
Certificate: **23-A-0653**
Site: 001
AMOS AND KATIE STOLTZFUS

Type: ROUTINE INSPECTION
Date: 07-JUL-2021

3.26(b)

Facilities, indoor.

The temperature in the indoor guinea pig housing facility was 87 degrees F as measured with a kestrel. Current ambient temperature in the area at the time of inspection (1130am) was 83 degrees F with a forecasted high temperature of 91 degrees F. There were several windows, vents, and a garage door open but it was not sufficient ventilation to lower the temperature below 85 degrees F.

Guinea pigs kept in ambient temperatures that are too high may be subject to heat stress that may cause discomfort and predispose them to developing other health issues.

The ambient temperature must not rise above 85 degrees F in indoor housing facilities for guinea pigs.

Correct by providing a ventilation or cooling system that will prevent the ambient temperature from rising above 85 degrees F.

Correct by: August 4, 2021

3.31(c)

Sanitation.

There were numerous flies and small gnats in the indoor guinea pig facility. There were 3 windows open with no screens and a garage door was open with only the lower approximately 3 feet screened. There were no methods of fly or insect

Prepared By: CHRISTINA RADZAI
USDA, APHIS, Animal Care
Title: VETERINARY MEDICAL OFFICER

Date:
07-JUL-2021

Received by Title: Licensee

Date:
07-JUL-2021



Inspection Report

control being utilized.

Excessive pests such as flies and gnats can cause discomfort to the animals and result in increased disease spread.

An effective program for the control of flies and other insects must be established and maintained.

Correct by: July 21, 2021

This inspection and exit interview were conducted with the licensee.

Prepared By: CHRISTINA RADZAI
USDA, APHIS, Animal Care

Date:
07-JUL-2021

Title: VETERINARY MEDICAL
OFFICER

Received by Title: Licensee

Date:
07-JUL-2021



Species Inspected

Cust No	Cert No	Site	Site Name	Inspection
502203	23-A-0653	001	AMOS AND KATIE STOLTZFUS	07-JUL-2021

Count	Scientific Name	Common Name
000401	<i>Cavia porcellus</i>	DOMESTIC GUINEA PIG
000401	Total	