



Inspection Report

Amos Stoltzfus & Katie Stoltzfus
2404 W WINTER RD
LOGANTON, PA 17747

Customer ID: **502203**
Certificate: **23-A-0653**
Site: 001
AMOS AND KATIE STOLTZFUS

Type: ROUTINE INSPECTION
Date: 22-NOV-2021

2.75(b)(1)

Records: Dealers and exhibitors.

A current record of guinea pigs on hand was not available for review during this inspection. A total of 522 guinea pigs were counted during this inspection. There were no inventory records indicating the number of adults, weanlings, or newborns present since August.

Failure to maintain these records can make it difficult to assess the health of the colony by identifying animal losses by deaths or decreased numbers of animals born and to track animals being used in regulated activities to ensure their humane care and use.

The facility must maintain records containing the required information for animals which fully and correctly disclose the number of animals held, owned, and acquired or disposed of including births and deaths.

Correct by: December 20, 2021

3.28(c)(1)(iii)

Primary enclosures.

There was 1 guinea pig pen that did not provide the required amount of floor space. There were 61 weanling guinea pigs housed in a pen that measured 56 x 51 inches or 2,856 square inches of floor space. Each weanling requires a minimum of 60 square inches of floor space. Total floor space required to house these weanlings is 3,660 square inches. There

Prepared By: CHRISTINA RADZAI
USDA, APHIS, Animal Care
Title: VETERINARY MEDICAL
OFFICER

Date:
22-NOV-2021

Received by Title: Licensee

Date:
22-NOV-2021



Inspection Report

cannot be more than 47 weanling guinea pigs housed in an enclosure measuring 56 by 51 inches.

Inadequate space can cause stress, crowding, and aggression in animals.

The licensee must ensure that all guinea pigs are provided with the minimum amount of floor space in order to avoid overcrowding and to support the health and well-being of the guinea pigs.

Correct by: December 6, 2021

3.29(d)

Feeding.

Approximately 1/3 of the guinea pig self-feeders were empty and contained an accumulation of fecal material. The licensee stated the feeders are filled every other day. The animals appeared in good body condition and were not lethargic.

Failure to clean feeders often enough to prevent contamination with fecal material can result in avoidance of food or spread of disease.

Food receptacles must be located to minimize contamination by excreta and must be kept clean.

Correct by: November 24, 2021

This inspection and exit interview were conducted with the licensee.

Prepared By: CHRISTINA RADZAI
USDA, APHIS, Animal Care

Date:
22-NOV-2021

Title: VETERINARY MEDICAL
OFFICER

Received by Title: Licensee

Date:
22-NOV-2021



Species Inspected

Cust No	Cert No	Site	Site Name	Inspection
502203	23-A-0653	001	AMOS AND KATIE STOLTZFUS	22-NOV-2021

Count	Scientific Name	Common Name
000522	<i>Cavia porcellus</i>	DOMESTIC GUINEA PIG
000522	Total	