



Inspection Report

Tim Lepard
182 Pond Drive
Pontotoc, MS 38863

Customer ID: **3005**
Certificate: **65-C-0519**
Site: 001
TIM LEPARD

Type: ROUTINE INSPECTION
Date: 09-JAN-2020

3.75(c)(1)(i)

HOUSING FACILITIES, GENERAL.

The primary enclosures inside the indoor area of the sheltered housing facility containing 2 Capuchin monkeys had areas that were rusted. The primary enclosure on the left had flaking, pitted, irregular rust on the bottom and middle bars of the front panel of the enclosure. The primary enclosure on the right had areas of flaking, pitted, irregular rust on the metal bar adjacent to the resting platform in that enclosure.

Rusted and pitted surfaces cannot be readily cleaned and sanitized. Rusted areas may harbor organic material and organisms that cause disease. Rust may weaken the structural integrity of the underlying structure.

Correct by repairing or replacing rusted areas by April 1, 2020.

This inspection and exit interview were conducted with the facility owner.

Additional Inspectors

Depoe Angela, Animal Care Inspector

Prepared By: CARE DIANA, D V M USDA, APHIS, Animal Care

Date:
13-JAN-2020

Title: VETERINARY MEDICAL OFFICER 6136

Received by Title: FACILITY OWNER

Date:
14-JAN-2020



Species Inspected

Cust No	Cert No	Site	Site Name	Inspection
3005	65-C-0519	001	TIM LEPARD	09-JAN-20

Count	Scientific Name	Common Name
000005	<i>Canis lupus familiaris</i>	DOG ADULT
000002	<i>Cebus capucinus</i>	WHITE-HEADED / WHITE-THROATED CAPUCHIN
000013	<i>Ovis aries aries</i>	SHEEP INCLUDING ALL DOMESTIC BREEDS
000020	Total	